

Bibliography:

- Abiri R et al. A comprehensive review of EEG-based brain–computer interface paradigms. *Journal of Neural Engineering*, 2019.
- Adrian ED & Matthews BH. The Berger rhythm: potential changes from the occipital lobes in man. *Brain*, 1934.
- Aflalo T et al. Decoding motor imagery from the posterior parietal cortex of a tetraplegic human. *Science*, 2015.
- Ahn M et al. High theta and low alpha powers may indicate BCI illiteracy in motor imagery. *PLoS ONE*, 2013.
- Ahn M et al. Gamma band activity associated with BCI performance: a simultaneous MEG/EEG study. *Frontiers in Human Neuroscience*, 2013.
- Ajiboye AB et al. Restoration of reaching and grasping movements through brain-controlled muscle stimulation in a person with tetraplegia. *Lancet*, 2017.
- Albus JS. A theory of cerebellar function. *Mathematical Biosciences*, 1971.
- Aldini G. Essai théorique et expérimental sur le galvanisme. 1804.
- Alexander GE, Crutcher MD & DeLong MR. Basal ganglia-thalamocortical circuits: parallel substrates for motor, oculomotor, prefrontal, and limbic functions. *Progress in Brain Research*, 1990.
- Amin SU et al. Deep learning for EEG motor imagery classification based on multi-layer CNN feature fusion. *Future Generation Computer Systems*, 2019.
- Ang KK et al. A randomized controlled trial of EEG-based motor imagery brain–computer interface for stroke rehabilitation. *Clinical EEG and Neuroscience*, 2015.
- Anumanchipalli GK, Chartier J & Chang EF. Speech synthesis from neural decoding of spoken sentences. *Nature*, 2019.
- Babadi B & Brown EN. A review of multitaper spectral analysis. *IEEE Transactions on Biomedical Engineering*, 2014.
- Bablani A et al. Survey on brain–computer interface: an emerging computational intelligence paradigm. *ACM Computing Surveys*, 2019.
- Bablani A et al. Brain–computer interface: a comprehensive survey. *Biologically Inspired Cognitive Architectures*, 2018.
- Bell AJ & Sejnowski TJ. An information-maximization approach to blind separation of sources. *Neural Computation*, 1995.
- Benabid AL et al. Chronic electrical stimulation of the ventralis intermedius nucleus of the thalamus alleviates tremor in Parkinson's disease. *Lancet*, 1987.
- Berger H. Über das Elektrenkephalogramm des Menschen. *Archiv für Psychiatrie und Nervenkrankheiten*, 1929.
- Bergman H, Wichmann T & DeLong MR. Reversal of experimental parkinsonism by lesions of the subthalamic nucleus. *Science*, 1990.

Bernstein J. Untersuchungen über den Erregungsvorgang im Nerven- und Muskelsysteme. 1871.

Birbaumer N et al. A spelling device for the paralysed. *Nature*, 1999.

Bostrom N. Why I Want to be a Posthuman When I Grow Up. *Medical Enhancement and Posthumanity*, 2008.

Bouton CE et al. Restoring cortical control of functional movement in a human with quadriplegia via a brain–computer interface. *Nature*, 2016.

Boyden ES et al. Millisecond-timescale optical control of neural activity in intact animals. *Nature Neuroscience*, 2005.

Bremer F. Cerveau isolé et la physiologie du sommeil. *Comptes Rendus des Séances de la Société de Biologie*, 1935.

Brindley GS & Lewin WS. The sensations produced by electrical stimulation of the visual cortex. *Journal of Physiology*, 1968.

Brindley GS, Polkey CE & Rushton DN. Sacral anterior root stimulator for bladder control in paraplegia. *Paraplegia*, 1982.

Brumberg JS et al. Brain–computer interfaces for speech communication. *The Neuroscientist*, 2011.

Buch E et al. Think to move: a neuromagnetic brain–computer interface for chronic stroke. *Stroke*, 2008.

Carmena JM et al. Learning to control a brain–machine interface for reaching and grasping by primates. *PLoS Biology*, 2003.

Caton R. The electric currents of the brain. *British Medical Journal*, 1875.

Chapin JK et al. Real-time control of a robot arm using simultaneously recorded neurons in the motor cortex. *Nature Neuroscience*, 1999.

Chaudhary U et al. Brain–computer interface-based communication in the completely locked-in state. *PLoS Biology*, 2017.

Chow AY et al. The artificial silicon retina microchip for the treatment of vision loss from retinitis pigmentosa. *Archives of Ophthalmology*, 2004.

Clark GM, Pyman BC & Bailey QR. The surgery for multiple-electrode cochlear implantations. *Journal of Laryngology and Otology*, 1979.

Clausen J. Bonding brains to machines: ethical implications of brain–computer interfaces. *Neuroethics*, 2009.

Cogan SF. Neural stimulation and recording electrodes. *Annual Review of Biomedical Engineering*, 2008.

Cohen Kadosh R et al. Modulating neuronal activity produces specific and long-lasting changes in numerical competence. *Current Biology*, 2010.

Cole KS & Curtis HJ. Electrical impedance of the squid giant axon during activity. *Journal of General Physiology*, 1939.

Collinger JL et al. High-performance neuroprosthetic arm control by an individual with tetraplegia. *Lancet*, 2013.

Delgado JM. *Physical Control of the Mind: Toward a Psychocivilized Society*. Harper & Row, 1969.

Deuschl G et al. A randomized trial of deep-brain stimulation for Parkinson's disease. *New England Journal of Medicine*, 2006.

Dhillon GS & Horch KW. Direct neural sensory feedback and control of a prosthetic arm. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 2005.

Dobelle WH & Mladejovsky MG. Phosphenes produced by electrical stimulation of human occipital cortex and their application to the development of a prosthesis for the blind. *Journal of Physiology*, 1974.

Donoghue JP. Connecting cortex to machines: recent advances in brain interfaces. *Nature Neuroscience*, 2002.

Du Bois-Reymond E. *Untersuchungen über thierische Elektrizität*. 1848.

Dua D & Graff C. UCI Machine Learning Repository (EEG dataset resource). University of California, Irvine, 2017.

Edell DJ et al. Factors influencing the biocompatibility of implanted silicon microshafts in cerebral cortex. *IEEE Transactions on Biomedical Engineering*, 1992.

Elbert T et al. Increased cortical representation of the fingers of the left hand in string players. *Science*, 1995.

Eskandari P & Erfanian A. Improving the performance of brain-computer interface through meditation. *Proceedings of the IEEE EMBS Conference*, 2008.

European Union. *General Data Protection Regulation (GDPR)*. 2016.

Evarts EV. Relation of pyramidal tract activity to force exerted during voluntary movement. *Journal of Neurophysiology*, 1968.

FDA. *Investigational Device Exemptions for Neurological Devices Guidance*. U.S. Food and Drug Administration, 2014.

Farah MJ. Neurocognitive enhancement: what can we do and what should we do? *Nature Reviews Neuroscience*, 2004.

Farwell LA & Donchin E. Talking off the top of your head: toward a mental prosthesis utilizing event-related brain potentials. *Electroencephalography and Clinical Neurophysiology*, 1988.

Fernández E et al. Visual percepts evoked by intracortical microstimulation of human visual cortex. *Journal of Clinical Investigation*, 2021.

Fetz EE. Operant conditioning of cortical unit activity. *Science*, 1969.

Fetz EE & Baker MA. Operantly conditioned patterns of precentral unit activity. *Brain Research*, 1973.

Fisher RS et al. Electrical stimulation of the anterior nucleus of thalamus for treatment of refractory epilepsy. *Epilepsia*, 2010.

Fleury M et al. A survey on the use of haptic feedback for brain-computer interfaces and neurofeedback. *Frontiers in Neuroscience*, 2020.

Fritsch G & Hitzig E. On the electrical excitability of the cerebrum. *Archives of Anatomy, Physiology*

and Scientific Medicine, 1870.

Fuster JM. Unit activity in prefrontal cortex during delayed-response performance. *Journal of Neurophysiology*, 1973.

Galvani L. De viribus electricitatis in motu musculari commentarius. 1791.

Gandhi V et al. Quantum neural network filtered motor imagery BCI using multiple classification techniques. *Neurocomputing*, 2015.

Gantz BJ, Turner C & Gfeller KE. Acoustic plus electric speech processing: preliminary results of a multicenter clinical trial of the Iowa/Nucleus hybrid implant. *Audiology & Neuro-Otology*, 2006.

Georgopoulos AP et al. Neuronal population coding of movement direction. *Science*, 1986.

Gibbs FA, Davis H & Lennox WG. The electroencephalogram in epilepsy and in conditions of impaired consciousness. *Archives of Neurology and Psychiatry*, 1935.

Goering S et al. Navigating the ethics of brain-computer interfaces. *Brain-Computer Interfaces*, 2017.

Goldman-Rakic PS. Cellular basis of working memory. *Neuron*, 1995.

Gonzalez C et al. First direct brain-to-brain communication in humans. *PLoS ONE*, 2014.

Grau C et al. Conscious brain-to-brain communication in humans using non-invasive technologies. *PLoS ONE*, 2014.

Graybiel AM. The basal ganglia and chunking of action repertoires. *Science*, 1998.

Gu X et al. EEG-based brain-computer interfaces: a survey of signal sensing technologies and computational intelligence approaches. *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, 2021.

Guenther FH et al. A wireless brain-machine interface for real-time speech synthesis. *PLoS ONE*, 2009.

Ha KW & Jeong JW. Motor imagery EEG classification using capsule networks. *Sensors*, 2019.

Hafting T et al. Microstructure of a spatial map in the entorhinal cortex. *Nature*, 2005.

Hampson RE et al. Developing a hippocampal neural prosthetic to facilitate human memory encoding and recall. *Journal of Neural Engineering*, 2018.

Harrison RR et al. A low-power integrated circuit for a wireless 100-electrode neural recording system. *IEEE Journal of Solid-State Circuits*, 2007.

Haykin S. Adaptive filter theory. Prentice Hall, 1996.

Heck CN et al. Two-year seizure reduction in a multicenter trial of responsive neurostimulation for epilepsy. *Neurology*, 2014.

Helmholtz H. Messungen über Fortpflanzungsgeschwindigkeit der Reizung in Nerven. *Archiv für Anatomie und Physiologie*, 1852.

Hersche M et al. Multiscale temporal and spectral features for multiclass motor imagery BCI. *Proceedings of EUSIPCO*, 2018.

Hochberg LR et al. Neuronal ensemble control of prosthetic devices by a human with tetraplegia. *Nature*, 2006.

Hochberg LR et al. Reach and grasp by people with tetraplegia using a neurally controlled robotic arm. *Nature*, 2012.

Hodgkin AL & Huxley AF. A quantitative description of membrane current and its application to conduction and excitation in nerve. *Journal of Physiology*, 1952.

Hossain I et al. Active transfer learning with active selection for motor imagery BCI. *Proceedings of the IJCNN*, 2016.

House WF. Cochlear implant in humans. *Annals of Otology, Rhinology & Laryngology*, 1976.

Hubel DH. Tungsten microelectrode for recording from single units. *Science*, 1957.

Hubel DH & Wiesel TN. Receptive fields, binocular interaction and functional architecture in the cat's visual cortex. *Journal of Physiology*, 1962.

Humayun MS et al. Visual perception in a blind subject with a chronic microelectronic retinal implant. *Vision Research*, 1999.

Ienca M, Valle G & Raspopovic S. Clinical trials for implantable neural prostheses: understanding the ethical and technical requirements. *Lancet Digital Health*, 2025.

Illes J. Neuroethics in a new era of neurotechnology. *Nature Reviews Neuroscience*, 2003.

Ito M, Sakurai M & Tongroach P. Climbing fibre induced depression of parallel fiber–Purkinje cell synapses in the cerebellum. *Nature*, 1982.

Jasper HH & Penfield W. Electrocorticograms in man: effect of voluntary movement upon the electrical activity of the precentral gyrus. *Electroencephalography and Clinical Neurophysiology*, 1949.

Jones EG. The thalamus as a final common pathway for neocortical processing. *Progress in Brain Research*, 2007.

Jun JJ et al. Fully integrated silicon probes for high-density recording in vivo. *Nature*, 2017.

Junwala R et al. Closed-loop deep brain stimulation: technologies and approaches. *Frontiers in Neuroscience*, 2019.

Klein E. Informed consent in implantable BCI research: identifying risks and exploring meaning. *Science and Engineering Ethics*, 2016.

Kosmyna N, Tarpin-Bernard F & Rivet B. Towards brain–computer interfaces for recreational activities: piloting a drone by thought. In: *INTERACT Conference Proceedings*, 2015.

Kral A & O'Donoghue GM. Profound deafness in childhood. *New England Journal of Medicine*, 2010.

Kuiken TA et al. Targeted muscle reinnervation for real-time myoelectric control of multifunction artificial arms. *JAMA*, 2009.

Kübler A et al. Brain–computer communication: unlocking the locked-in syndrome. *Archives of Neurology*, 1999.

Lebedev MA & Nicolelis MAL. Brain–machine interfaces: past, present and future. *Trends in Neurosciences*, 2006.

Leuthardt EC et al. A brain–computer interface using electrocorticographic signals in humans. *Journal of Neural Engineering*, 2004.

Li Y et al. A channel-projection mixed-scale convolutional neural network for motor imagery EEG decoding. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 2019.

Li Z et al. Enhancing BCI-based emotion recognition using optimized feature selection. *Sensors*, 2020.

Lindsley DB. Psychological phenomena and the electroencephalogram. *Electroencephalography and Clinical Neurophysiology*, 1952.

Ling G & Gerard RW. The normal membrane potential of frog muscle fibers. *Journal of Cellular Physiology*, 1949.

Lécuyer A et al. Brain-computer interfaces, virtual reality, and videogames. *IEEE Computer*, 2008.

Mahowald M & Mead C. The silicon retina. *Scientific American*, 1991.

Makeig S et al. Independent component analysis of electroencephalographic data. *Advances in Neural Information Processing Systems*, 1996.

Makin JG, Moses DA & Chang EF. Machine translation of cortical activity to text with an encoder-decoder framework. *Nature Neuroscience*, 2020.

Mallet L et al. Subthalamic nucleus stimulation in severe obsessive-compulsive disorder. *New England Journal of Medicine*, 2008.

Martini ML et al. Sensor modalities for brain-computer interface technology: a comprehensive literature review. *Neurosurgery*, 2020.

Mayberg HS et al. Deep brain stimulation for treatment-resistant depression. *Neuron*, 2005.

McMahon MJ et al. Spatial vision in blind subjects implanted with the Second Sight retinal prosthesis. *ARVO Meeting Abstract*, 2007.

Melzack R & Wall PD. Pain mechanisms: a new theory. *Science*, 1965.

Meng J et al. Three-dimensional brain-computer interface control through concurrent attentional and motor imagery tasks. *IEEE Transactions on Biomedical Engineering*, 2018.

Merrill DR, Bikson M & Jefferys JGR. Electrical stimulation of excitable tissue: design of efficacious and safe protocols. *Journal of Neuroscience Methods*, 2005.

Merzenich MM et al. Somatosensory cortical map changes following digit amputation in adult monkeys. *Journal of Comparative Neurology*, 1984.

Miller EK & Cohen JD. An integrative theory of prefrontal cortex function. *Annual Review of Neuroscience*, 2001.

Mink JW. The basal ganglia: focused selection and inhibition of competing motor programs. *Progress in Neurobiology*, 1996.

Miyawaki Y et al. Visual image reconstruction from human brain activity using a combination of multiscale local image decoders. *Neuron*, 2008.

Moran DW & Schwartz AB. Motor cortical representation of speed and direction during reaching. *Journal of Neurophysiology*, 1999.

Moritz CT, Perlmutter SI & Fetz EE. Direct control of paralyzed muscles by cortical neurons. *Nature*, 2008.

Morrell MJ. Responsive cortical stimulation for the treatment of medically intractable partial epilepsy. *Neurology*, 2011.

Moruzzi G & Magoun HW. Brain stem reticular formation and activation of the EEG. *Electroencephalography and Clinical Neurophysiology*, 1949.

Moses DA et al. Neuroprosthesis for decoding speech in a paralyzed person with anarthria. *New England Journal of Medicine*, 2021.

Musk E & Neuralink. An integrated brain–machine interface platform with thousands of channels. *Journal of Medical Internet Research*, 2019.

Müller-Putz GR et al. A single-switch brain–computer interface for communication in minimally conscious state patients. *International Journal of Neural Systems*, 2013.

Navarro X et al. A critical review of interfaces with the peripheral nervous system for neuroprostheses. *Journal of the Peripheral Nervous System*, 2005.

Neuropace. RNS System: Clinical Results in Epilepsy. *Neuropace White Paper*, 2013.

Nguyen T et al. Classification of multi-class BCI data by common spatial pattern and fuzzy system. *IEEE Access*, 2018.

Nicolas-Alonso LF & Gomez-Gil J. Brain–computer interfaces: a review. *Sensors*, 2012.

Nicolelis MAL et al. *Beyond Boundaries: The New Neuroscience of Connecting Brains with Machines*. Times Books, 2011.

Nijhout HF. A conceptual framework for neuropsychiatric disorders. *BioScience*, 2002.

Normann RA et al. Toward the development of a cortical visual neuroprosthesis. *Journal of Neural Engineering*, 2009.

North RB et al. Spinal cord stimulation for chronic, intractable pain: superiority of multi-channel devices. *Pain*, 1991.

Nuffield Council on Bioethics. *Novel neurotechnologies: intervening in the brain*. 2013.

Nuttin B et al. Electrical stimulation of the anterior limbs of the internal capsule for obsessive–compulsive disorder. *Lancet*, 1999.

Nuyujukian P et al. Performance sustaining intracortical brain–computer interface. *Journal of Neural Engineering*, 2015.

O’Keefe J & Dostrovsky J. The hippocampus as a spatial map: preliminary evidence from unit activity in the freely moving rat. *Brain Research*, 1971.

O’Keefe J & Nadel L. *The Hippocampus as a Cognitive Map*. Oxford University Press, 1978.

Olds J & Milner P. Positive reinforcement produced by electrical stimulation of the septal area and other regions of the rat brain. *Journal of Comparative and Physiological Psychology*, 1954.

Onose G et al. On the feasibility of using motor imagery EEG-based brain–computer interface in chronic tetraplegics for assistive arm control. *Spinal Cord*, 2012.

Oxley TJ et al. Minimally invasive endovascular stent-electrode array for high-fidelity, chronic recordings of cortical neural activity. *Nature Biotechnology*, 2016.

Oxley TJ et al. Motor neuroprosthesis implanted with neurointerventional surgery: first in-human

experience. *Journal of NeuroInterventional Surgery*, 2021.

Pais-Vieira M et al. A brain-to-brain interface for real-time sharing of sensorimotor information. *Scientific Reports*, 2013.

Pandarínath C et al. High-performance communication by people with paralysis via an intracortical brain-computer interface. *eLife*, 2017.

Papez JW. A proposed mechanism of emotion. *Archives of Neurology and Psychiatry*, 1937.

Peckham PH et al. Functional electrical stimulation: current status and future prospects. *IEEE Transactions on Biomedical Engineering*, 1988.

Penfield W & Boldrey E. Somatic motor and sensory representation in the cerebral cortex of man. *Brain*, 1937.

Penfield W & Jasper HH. *Epilepsy and the Functional Anatomy of the Human Brain*. Little, Brown, 1954.

Pfurtscheller G & Neuper C. Motor imagery and direct brain-computer communication. *Proceedings of the IEEE*, 2001.

Polikov VS, Tresco PA & Reichert WM. Response of brain tissue to chronically implanted neural electrodes. *Journal of Neuroscience Methods*, 2005.

Quiroga RQ et al. Invariant visual representation by single neurons in the human brain. *Nature*, 2005.

Rao RP et al. A direct brain-to-brain interface in humans. *PLoS ONE*, 2014.

Raspopovic S et al. Restoring natural sensory feedback in real-time bidirectional hand prostheses. *Science Translational Medicine*, 2014.

Raza H et al. Adaptive learning with covariate shift detection for motor imagery brain-computer interfaces. *Soft Computing*, 2016.

Sacks O. *The Man Who Mistook His Wife for a Hat*. Summit Books, 1985.

Sahakian BJ and Morein-Zamir S. *Neuroethical issues in cognitive enhancement*. *Nature*, 2007.

Salzman CD, Britten KH, and Newsome WT. *Cortical microstimulation influences perceptual judgments of motion direction*. *Nature*, 1990.

Sanes JN and Donoghue JP. *Plasticity and primary motor cortex*. **Annual Review of Neuroscience**, 2000.

Schalk G and Mellinger J. *Brain-Computer Interfaces: Principles and Practice*. Oxford University Press, 2010.

Schmidt EM, Bak MJ, McIntosh JS, and Thomas JP. *Operant conditioning of firing patterns in monkey motor cortex*. **Experimental Neurology**, 1978.

Schuepbach WM, Rau J, Knudsen K, Volkman J, et al. *Neurostimulation for Parkinson's disease with early motor complications*. **New England Journal of Medicine**, 2013.

Schultz W, Dayan P, and Montague PR. *A neural substrate of prediction and reward*. *Nature*, 1997.

Schwartz AB, Cui XT, Weber DJ, and Moran DW. *Brain-controlled interfaces: movement restoration with neural prosthetics*. *Neuron*, 2006.

Schwartz AB. *Cortical neural prosthetics*. **Annual Review of Neuroscience**, 2004.

Searle JR. *Minds, brains, and programs*. **Behavioral and Brain Sciences**, 1980.

Sejnowski TJ. *The Deep Learning Revolution*. MIT Press, 2018.

Serruya MD, Hatsopoulos NG, Paninski L, Fellows MR, and Donoghue JP. *Instant neural control of a movement signal*. *Nature*, 2002.

Shannon CE. *A mathematical theory of communication*. **Bell System Technical Journal**, 1948.

Shannon RV, Zeng F-G, Kamath V, Wygonski J, and Ekelid M. *Speech recognition with primarily temporal cues*. *Science*, 1995.

Shenoy KV, Sahani M, and Churchland MM. *Cortical control of arm movements: a dynamical systems perspective*. **Annual Review of Neuroscience**, 2013.

Sherrington CS. *The Integrative Action of the Nervous System*. Yale University Press, 1906.

Simeral JD, Kim SP, Black MJ, Donoghue JP, and Hochberg LR. *Neural control of cursor trajectory and click by a human with tetraplegia 1000 days after implant*. **Journal of Neural Engineering**, 2011.

Singer W. *Neuronal synchrony: a versatile code for the definition of relations*. *Neuron*, 1993.

Soekadar SR, Birbaumer N, Slutzky MW, and Cohen LG. *Brain-machine interfaces in neurorehabilitation of stroke*. **Neurobiology of Disease**, 2015.

Sporns O. *Networks of the Brain*. MIT Press, 2011.

Squire LR and Zola-Morgan S. *The medial temporal lobe memory system*. *Science*, 1991.

Squire LR. *Memory systems of the brain: a brief history and current perspective*. **Neurobiology of Learning and Memory**, 2004.

Steriade M, McCormick DA, and Sejnowski TJ. *Thalamocortical oscillations in the sleeping and aroused brain*. *Science*, 1993.

Stocco A, Prat CS, and Branston CJ. *Direct brain-to-brain communication in humans*. **PLoS One**, 2015.

Strick PL, Dum RP, and Fiez JA. *Cerebellum and nonmotor function*. **Annual Review of Neuroscience**, 2009.

Stuss DT and Knight RT (eds.). *Principles of Frontal Lobe Function*. Oxford University Press, 2002.

Sun FT, Morrell MJ, and Wharen RE Jr. *Responsive cortical stimulation for epilepsy*. **Neurotherapeutics**, 2008.

Suner S, Fellows MR, Vargas-Irwin CE, Nakata GK, and Donoghue JP. *Reliability of signals from a chronically implanted silicon microelectrode array in primate motor cortex*. **IEEE Transactions on Neural Systems and Rehabilitation Engineering**, 2005.

Suthana NA, Haneef Z, Stern J, Mukamel R, Behnke E, et al. *Memory enhancement and deep-brain stimulation of the entorhinal cortex*. **New England Journal of Medicine**, 2012.

Szarowski DH, Andersen MD, Retterer ST, Spence AJ, Isaacson M, Turner JN, and Shain W. *Brain responses to micro-machined silicon devices*. **Brain Research**, 2003.

Tan DW, Schiefer MA, Keith MW, Anderson JR, and Tyler DJ. *A neural interface provides long-term stable natural touch perception*. **Science Translational Medicine**, 2014.

Taylor DM, Tillery SI, and Schwartz AB. *Direct cortical control of 3D neuroprosthetic devices*. *Science*, 2002.

Todorov E and Jordan MI. *Optimal feedback control as a theory of motor coordination*. **Nature Neuroscience**, 2002.

United Nations. *Convention on the Rights of Persons with Disabilities*. United Nations, 2006.

U.S. Food and Drug Administration. *Implanted Brain-Computer Interface Devices for Patients with Paralysis or Amputation: Guidance for Industry and FDA Staff*. FDA, 2021.

Vansteensel MJ, Pels EG, Bleichner MG, Branco MP, Denison T, et al. *Fully implanted brain-computer interface in a locked-in patient with ALS*. **New England Journal of Medicine**, 2016.

Velliste M, Perel S, Spalding MC, Whitford AS, and Schwartz AB. *Cortical control of a robotic arm for self-feeding*. *Nature*, 2008.

Vidal JJ. *Toward direct brain-computer communication*. **Annual Review of Biophysics and Bioengineering**, 1973.

Volta A. *On the electricity excited by the contact of different metals*. **Philosophical Transactions of the Royal Society**, 1800.

Warwick K, Gasson MN, Hutt B, Goodhew I, Kyberd P, et al. *The application of implant technology for cybernetic systems*. **Archives of Neurology**, 2003.

Weiskrantz L. *Blindsight: A Case Study and Implications*. Oxford University Press, 1986.

Wessberg J, Stambaugh CR, Kralik JD, Beck PD, Laubach M, Chapin JK, et al. *Real-time prediction of hand trajectory by ensembles of cortical neurons*. *Nature*, 2000.

Wiener N. *Cybernetics: Or Control and Communication in the Animal and the Machine*. MIT Press, 1948.

Willett FR, Avansino DT, Hochberg LR, Henderson JM, and Shenoy KV. *High-performance brain-to-text communication via attempted handwriting*. *Nature*, 2021.

Wolpaw JR, Birbaumer N, McFarland DJ, Pfurtscheller G, and Vaughan TM. *Brain-computer interfaces for communication and control*. **Clinical Neurophysiology**, 2002.

Wolpaw JR and McFarland DJ. *Control of a two-dimensional movement signal by a noninvasive brain-computer interface*. **Proceedings of the National Academy of Sciences**, 2004.

Wilson BS, Finley CC, Lawson DT, Wolford RD, Eddington DK, and Rabinowitz WM. *Better speech recognition with cochlear implants*. *Nature*, 1991.

Xie C, Liu J, Fu TM, Dai X, Zhou W, and Lieber CM. *Three-dimensional macroporous nanoelectronic networks as minimally invasive brain probes*. **Nature Materials**, 2015.

Yin M, Borton DA, Komar J, Agha N, Lu Y, et al. *Wireless neurosensor for full-spectrum electrophysiology during free behavior*. **Nature Methods**, 2014.

Yuste R, Goering S, Bi G, Carmena JM, Carter A, et al. *Four ethical priorities for neurotechnologies and AI*. *Nature*, 2017.

Zhou A, Johnson BC, and Muller R. *Toward true closed-loop neuromodulation: artifact-free recording during stimulation*. **Current Opinion in Neurobiology**, 2018.

Zrenner E, Bartz-Schmidt KU, Besch D, Strobel J, et al. *Subretinal electronic chips allow blind patients to read letters and combine them into words.* **Proceedings of the Royal Society B**, 2011.